DEPARTMENT OF ENVIRONMENT AND CONSERVATION DIVISION OF AIR POLLUTION CONTROL 9TH FLOOR, L & C ANNEX 401 CHURCH STREET NASHVILLE, TN 37243 - 1531



MAJOR SOURCE OPERATING PERMIT APPLICATION STACK IDENTIFICATION

1.	FACILITY NAME:				FOR	APC COMPANY NO.
					APC	
2.	STACK ID (OR FLOW DIAGRAM POINT IDE	NTIFICATION):			USE	LOG/PERMIT NO.
					ONLY	
3.	EMISSION SOURCE (IDENTIFY):					
4.	STACK HEIGHT ABOVE GRADE IN FEET:					
5.	VELOCITY (DATA AT EXIT CONDITIONS):		6.	INSIDE DIMENSIONS AT O	UTLET IN	FEET:
	(ACTUAL FEET PER	SECOND)				
	(ACTOMETEETTER	SECOND)				
7.	EXHAUST FLOW RATE AT EXIT CONDITIO	NS (ACFM):	8.	FLOW RATE AT STANDAR	D CONDI	TIONS (DSCFM):
9.	EXHAUST TEMPERATURE:		10.	MOISTURE CONTENT (DA	TA AT EX	IT CONDITIONS):
						GRAINS PER DRY
						STANDARD CUBIC
	DEGREES FAHRENH	EIT (°F)		PERCENT		FOOT (gr/dscf)
11.	EXHAUST TEMPERATURE THAT IS EQUALED OR EXCEEDED DURING NINETY (90) PERCENT OR MORE OF THE OPERATING TIME (FOR					
	STACKS SUBJECT TO DIFFUSION EQUATION		0 1 (11 (ETT (90)TERREENT GREATOR		or Enuring Think (<u>rox</u>
		(°F)				
12.	IF THIS STACK IS EQUIPPED WITH CONTINUOUS POLLUTANT MONITORING EQUIPMENT REQUIRED FOR COMPLIANCE, WHAT POLLUTANT(S) DOES THIS EQUIPMENT MONITOR (e.g., OPACITY, SO ₂ , NO _X , etc.)?					
	102201111(a) 2020 11110 EQUITIDAT MONTON (0.6,, 0111011 1, 1002, 110A, voc.).					
	COMPLETE THE APPROPRIATE APC FORM(S) V.4, V.5, V.7, V.8, V.9, OR V.10 FOR EACH SOURCE EXHAUSTING THROUGH THIS STACK.					
13.	DO YOU HAVE A BYPASS STACK?					
	YES NO					
	IF YES, DESCRIBE THE CONDITIONS WHICH REQUIRE ITS USE & COMPLETE APC FORM V.3 FOR THE BYPASS STACK. PLEASE IDENTIFY					
	THE STACK NUMBER(S) OR FLOW DIAGR					
14.	PAGE NUMBER:	REVISION NUMBER:		DATE OF	REVISIO	N

CN - 1007 RDA 1298

INSTRUCTIONS FOR APC FORM V.3 STACK IDENTIFICATION

SOURCES THAT ARE REQUIRED TO OBTAIN A PERMIT UNDER PARAGRAPH 1200-3-9-.02(11) OF TENNESSEE AIR POLLUTION CONTROL REGULATIONS, MUST COMPLETE AND RETURN THIS FORM, IF APPLICABLE. APPLICATIONS ARE INCOMPLETE UNLESS ALL APPLICABLE INFORMATION REQUESTED HEREIN IS SUPPLIED. FAILURE TO SUPPLY ANY ADDITIONAL INFORMATION REQUESTED BY THE TECHNICAL SECRETARY TO ENABLE HIM TO ACT ON THE APPLICATION MAY RESULT IN DENIAL OF THIS APPLICATION. IF THERE IS ADDITIONAL INFORMATION THAT WILL NOT FIT ON A FORM, PLEASE DECLARE THE INFORMATION ON ADDITIONAL SHEET(S) AND ATTACH IT TO THE BACK OF THE ORIGINAL.

ONE FORM MUST BE COMPLETED FOR EACH STACK OR RELEASE POINT (e.g., ROOF VENT, WALL VENT, etc.).

- ITEM 2 ASSIGN A STACK IDENTIFICATION NUMBER OR ID TO THIS STACK OR RELEASE POINT (e.g., S-1, S-2, etc.) AND IDENTIFY THIS STACK OR EMISSION RELEASE POINT ON THE FLOW DIAGRAM REQUIRED FOR THE EMISSION SOURCE.
- ITEM 4 PROVIDE THE HEIGHT AT WHICH THE STACK OR RELEASE POINT DISCHARGES ABOVE GRADE IN FEET.
- ITEM 5 ACTUAL VELOCITY AT EXIT CONDITIONS USING EXHAUST FLOW RATE AT EXIT CONDITIONS.
- ITEM 7 PROVIDE THE EXHAUST RATE IN UNITS OF ACTUAL CUBIC FEET PER MINUTE (ACFM).
- ITEM 8 PROVIDE THE NORMAL EXHAUST RATE IN UNITS OF **DRY STANDARD** CUBIC FEET PER MINUTE (DSCFM). STANDARD TEMPERATURE IS 68°F FOR SOURCES SUBJECT TO NEW SOURCE PERFORMANCE STANDARDS, 60°F FOR SOURCES SUBJECT TO DIFFUSION EQUATION BASED EMISSION STANDARDS AND 70°F FOR THE REST OF SOURCES.
- ITEM 12 IF THE STACK IS REQUIRED TO BE EQUIPPED WITH CONTINUOUS EMISSION MONITORING EQUIPMENT IDENTIFY THE POLLUTANT MONITORED SUCH AS TRS (TOTAL REDUCED SULFUR), NO_X , SO_2 , O_2 , CO_2 , OR OPACITY.
- ITEM 14 PAGE NUMBER MUST BE FILLED IN. REVISION NUMBER AND DATE OF REVISION ARE TO BE FILLED IN ONLY IF THE INFORMATION ON THIS FORM IS BEING REVISED.

IF ANY ITEM ON THIS APPLICATION IS NOT APPLICABLE TO THIS FACILITY, THE ITEM MUST BE FILLED IN WITH "NOT APPLICABLE" OR "N/A".